ELSEVIER

Brain Research 776 (1997) 261–262

BRAIN RESEARCH

Author Index

Abbott, N.J., Mitchell, G., Ward, K.J., Abdullah, F. and Smith, I.C.H.
An electrophysiological method for measuring the potassium permeability of the nerve perineurium (776) 204
Abbott, N.J., see Todd, B.A. (776) 214
Abdullah, F., see Abbott, N.J. (776) 204
Abe, K. and Hayashi, T.
Expression of the glial cell line-derived neurotrophic factor gene in rat brain after transient MCA occlusion (776) 230
Adams, C.E. and Freedman, R.
Nicotinic antagonist α-bungarotoxin binding to rat hippocampal neurons containing nitric oxide synthase (776) 111
Alberi, S., see Raggenbass, M. (776) 75
Amano, S., see Takahashi, Y. (776) 255
Anwer, J., see Meng, Z.-H. (776) 235
Asakura, K., Matsuo, Y., Kanemasa, T. and Ninomiya, M.
P/Q-type Ca^{2+} channel blocker ω-agatoxin IVA protects against brain injury after focal ischemia in rats (776) 140
Azmitia, E.C., see Whitaker-Azmitia, P.M. (776) 51

Bardo, M.T., see Rebec, G.V. (776) 61
Barnes Jr., E.M., see Tehrani, M.H.J. (776) 195
Baumgartner, B.J., see Tehrani, M.H.J. (776) 195
Benavides, J., see Lekieffre, D. (776) 88
Bernardi, G., see Morello, M. (776) 30
Blanchard, B.J., Konopka, G., Russell, M. and Ingram, V.M.
Mechanism and prevention of neurotoxicity caused by β-amyloid peptides: relation to Alzheimer's disease (776) 40
Bolwig, T.G., see Greisen, M.H. (776) 105
Borella, A., see Whitaker-Azmitia, P.M. (776) 51
Burette, A., Jalenques, I. and Romand, R.
Neurotrophin receptor immunostaining in the rat ventral cochlear nucleus (776) 10
Businaro, R., see Fabrizi, C. (776) 154

Christensen, J.R.C., see Rebec, G.V. (776) 61
Clemens, J.A., see Dixon, E.P. (776) 222
Cox, J.E. and Randich, A.
CCK-8 activates hepatic vagal C-fiber afferents (776) 189
Cozzolino, A., see Marrosu, F. (776) 24

Dar, M.S., see Meng, Z.-H. (776) 235
Di Chiara, G., see Marrosu, F. (776) 24
Dixon, E.P., Stephenson, D.T., Clemens, J.A. and Little, S.P.
Bcl-X$_{short}$ is elevated following severe global ischemia in rat brains (776) 222
Dunn, A.J., see Swiergiel, A.H. (776) 96
Dunn-Meynell, A.A., see Levin, B.E. (776) 146

Emori, K., Katsumori, H. and Minabe, Y.
Changes in paired-pulse depression during the triggering of seizures by 2 Hz dentate gyrus stimulation: effect of the kindling (776) 250

Fabrizi, C., Businaro, R., Persichini, T., Fumagalli, L. and Lauro, G.M.
The expression of the LDL receptor-related protein (LRP) correlates with the differentiation of human neuroblastoma cells (776) 154
Freedman, R., see Adams, C.E. (776) 111
Fumagalli, L., see Fabrizi, C. (776) 154
Furue, H. and Yoshii, K.
In situ tight-seal recordings of taste substance-elicited action currents and voltage-gated Ba currents from single taste bud cells in the peeled epithelium of mouse tongue (776) 133

Gerlai, R., see Whitaker-Azmitia, P.M. (776) 51
Giagheddu, M., see Marrosu, F. (776) 24
Greisen, M.H., Sheikh, S.P., Bolwig, T.G. and Mikkelsen, J.D.
Reduction of neuropeptide Y binding sites in the rat hippocampus after electroconvulsive stimulations (776) 105
Guerra, C., see Rebec, G.V. (776) 61

Hayashi, T., see Abe, K. (776) 230
Horschke, I., see Zupanc, G.K.H. (776) 117

Ihara, N., see Takahashi, Y. (776) 255
Ingram, V.M., see Blanchard, B.J. (776) 40

Jalenques, I., see Burette, A. (776) 10
Johnson, L.J., see Swiergiel, A.H. (776) 96

Kanai, H., see Takahashi, Y. (776) 255
Kanemasa, T., see Asakura, K. (776) 140
Karle, E.J., see Morello, M. (776) 30
Kato, N., see Takahashi, Y. (776) 255
Katsumori, H., see Emori, K. (776) 250
Kishimoto, J., see Tsuchiya, T. (776) 68
Konopka, G., see Blanchard, B.J. (776) 40
Koyama, J., see Tsuchiya, T. (776) 68
Kumagai, M., see Matsuoka, I. (776) 181
Kumamoto, E. and Murata, Y.
Action of furosemide on GABA and glycine currents in rat septal cholinergic neurons in culture (776) 246
Kurihara, K., see Matsuoka, I. (776) 170
Kurihara, K., see Matsuoka, I. (776) 181

Lauro, G.M., see Fabrizi, C. (776) 154
Lekieffre, D., Benavides, J., Scatton, B. and Nowicki, J.-P.
Neuroprotection afforded by a combination of eliprodil and a thrombolytic agent, rt-PA, in a rat thromboembolic stroke model (776) 88
Levin, B.E. and Dunn-Meynell, A.A.
In vivo and in vitro regulation of [^{3}H]glyburide binding to brain sulfonylurea receptors in obesity-prone and resistant rats by glucose (776) 146
Little, S.P., see Dixon, E.P. (776) 222

Marrosu, F., Cozzolino, A., Puligheddu, M., Giagheddu, M. and Di Chiara, G.
Hippocampal θ activity after systemic administration of a non-peptide δ-opioid agonist in freely-moving rats: relationship to D_1 dopamine receptors (776) 24
Masui, A., see Takahashi, Y. (776) 255
Matsuo, Y., see Asakura, K. (776) 140
Matsuoka, I., Kumagai, M. and Kurihara, K.
Differential and coordinated regulation of expression of norepinephrine transporter in catecholaminergic cells in culture (776) 181
Matsuoka, I., Nakane, A. and Kurihara, K.
Induction of LIF-mRNA by TGF-β1 in Schwann cells (776) 170
Meng, Z.-H., Anwer, J. and Dar, M.S.
The striatal adenosinergic modulation of ethanol-induced motor incoordination in rats: possible role of chloride flux (776) 235
Metzger, D., see Raggenbass, M. (776) 75
Mikkelsen, J.D., see Greisen, M.H. (776) 105
Miller, D.K. and Nation, J.R.
Chronic cadmium exposure attenuates the conditioned reinforcing properties of morphine and fentanyl (776) 162
Mills, L., see Steffensen, I. (776) 1
Minabe, Y., see Emori, K. (776) 250
Mitchell, G., see Abbott, N.J. (776) 204
Morello, M., Reiner, A., Sancesario, G., Karle, E.J. and Bernardi, G.
Ultrastructural study of nitric oxide synthase-containing striatal neurons and their

relationship with parvalbumin-containing neurons in rats (776) 30
Murata, Y., see Kumamoto, E. (776) 246

Nakane, A., see Matsuoka, I. (776) 170
Nation, J.R., see Miller, D.K. (776) 162
Ninomiya, M., see Asakura, K. (776) 140
Nowicki, J.-P., see Lekieffre, D. (776) 88

Ozawa, T., see Tsuchiya, T. (776) 68

Persichini, T., see Fabrizi, C. (776) 154
Pierson, P., see Raggenbass, M. (776) 75
Puligheddu, M., see Marrosu, F. (776) 24

Raggenbass, M., Pierson, P., Metzger, D. and Alberi, S.
Action of a metabotropic glutamate receptor agonist in rat lateral septum: induction of a sodium-dependent inward aftercurrent (776) 75
Randich, A., see Cox, J.E. (776) 189
Rebec, G.V., Christensen, J.R.C., Guerra, C. and Bardo, M.T.
Regional and temporal differences in real-time dopamine efflux in the nucleus accumbens during free-choice novelty (776) 61
Reiner, A., see Morello, M. (776) 30
Roder, J., see Whitaker-Azmitia, P.M. (776) 51
Romand, R., see Burette, A. (776) 10
Russell, M., see Blanchard, B.J. (776) 40

Sadamatsu, M., see Takahashi, Y. (776) 255
Sancesario, G., see Morello, M. (776) 30
Scatton, B., see Lekieffre, D. (776) 88
Sedgwick, E.M., see Todd, B.A. (776) 214
Sheikh, S.P., see Greisen, M.H. (776) 105
Smagin, G.N., see Swiergiel, A.H. (776) 96
Smith, I.C.H., see Abbott, N.J. (776) 204
Steffensen, I., Waxman, S.G., Mills, L. and Stys, P.K.
Immunolocalization of the Na^+–Ca^{2+} exchanger in mammalian myelinated axons (776) 1
Stephenson, D.T., see Dixon, E.P. (776) 222
Stys, P.K., see Steffensen, I. (776) 1
Swiergiel, A.H., Smagin, G.N., Johnson, L.J. and Dunn, A.J.
The role of cytokines in the behavioral responses to endotoxin and influenza virus infection in mice: effects of acute and chronic administration of the interleukin-1-receptor antagonist (IL-1ra) (776) 96

Takahashi, Y., Sadamatsu, M., Kanai, H., Masui, A., Amano, S., Ihara, N. and Kato, N.
Changes of immunoreactive neuropeptide Y, somatostatin and corticotropin-releasing factor (CRF) in the brain of a novel epileptic mutant rat, Ihara's genetically epileptic rat (IGER) (776) 255
Tehrani, M.H.J., Baumgartner, B.J. and Barnes Jr., E.M.
Clathrin-coated vesicles from bovine brain contain uncoupled $GABA_A$ receptors (776) 195
Todd, B.A., Sedgwick, E.M. and Abbott, N.J.
Effects of the bile salt sodium deoxycholate, protamine, and inflammatory mediators on the potassium permeability of the frog nerve perineurium (776) 214
Tsuchiya, T., Kishimoto, J., Koyama, J. and Ozawa, T.
Modulatory effect of L-NAME, a specific nitric oxide synthase (NOS) inhibitor, on stress-induced changes in plasma adrenocorticotropic hormone (ACTH) and corticosterone levels in rats: physiological significance of stress-induced NOS activation in hypothalamic–pituitary–adrenal axis (776) 68

Ward, K.J., see Abbott, N.J. (776) 204
Waxman, S.G., see Steffensen, I. (776) 1
Whitaker-Azmitia, P.M., Wingate, M., Borella, A., Gerlai, R., Roder, J. and Azmitia, E.C.
Transgenic mice overexpressing the neurotrophic factor S-100β show neuronal cytoskeletal and behavioral signs of altered aging processes: implications for Alzheimer's disease and Down's syndrome (776) 51
Wightman, R.M., see Xin, Q. (776) 126
Wingate, M., see Whitaker-Azmitia, P.M. (776) 51

Xin, Q. and Wightman, R.M.
Transport of choline in rat brain slices (776) 126

Yoshii, K., see Furue, H. (776) 133

Zupanc, G.K.H. and Horschke, I.
A distinct population of neurons in the central posterior/prepacemaker nucleus project to the nucleus preopticus periventricularis in the weakly electric gymnotiform fish, *Apteronotus leptorhynchus* (776) 117